EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7224	buffer with (full or exces$4 or exced$3 or overflow$3) with (delet$3 or remov$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L2	45082	sequenc$3 with stream$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L3	10	L2 same L1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L4	4	L3 and (@rlad<"20000912" @ad<"20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L5	4775	server with buffer$3 same (transmit$4 or transmission $1)	US-PGPUB; USPAT	OR	OFF	2010/09/12 19:21
L6	13	L5 same L1	US-PGPUB; USPAT	OR	OFF	2010/09/12 19:21
L7	1	L6 and (@rlad<"20000912" @ad<"20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L8	2732	buffer$3 with playback same (media or stream$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L9	3676	buffer$3 with server same (media or stream$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L10	637	L8 and L9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21

L11	86419	(delet$3 or remov$3) with (old$3 or expir$6 or overdue or past)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L12	4414	L11 same server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L13	23	L10 and L12	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L14	13	L13 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L15	1344	L11 with buffer	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L16	15	L15 same L9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L17	0	L16 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L18	37	L15 and L9	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L19	7	L18 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L20	7	L8 and (underfill$3 or overfill $3)	US-PGPUB; USPAT	OR	OFF	2010/09/12 19:21
L21	2	L20 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21

L22	7	L9 and (underfill$3 or overfill $3)	US-PGPUB; USPAT	OR	OFF	2010/09/12 19:21
L23	6	L22 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L24	13	(server with stream$3) same ((transmi$6 with max $4 near rate))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L25	3	L24 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:21
L26	2	(L4 L7 L14 L17 L19 L21 L23 L25) and @pd> "20080928"	US-PGPUB; USPAT	OR	OFF	2010/09/12 19:21
L27	19	buffer with full with (feedback or notif$6 or alert $3) same server$1	US-PGPUB; USPAT	OR	OFF	2010/09/12 19:22
L28	9	L27 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:22
L29	13	buffer$1 with (fill$3 or level or threshold or full) with (feedback or notif$6 or alert $3) same server$1 same (stop$4 or ceas$3 or resum $3 or restart$3)	US-PGPUB; USPAT	OR	OFF	2010/09/12 19:22
L30	6	L29 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:22
L31	59	buffer$1 with (fill$3 or level or threshold or full) with (feedback or notif$6 or alert $3) and server$1 with (stop $4 or ceas$3 or resum$3 or restart$3)	US-PGPUB; USPAT	OR	OFF	2010/09/12 19:22
L32	27	L31 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/12 19:22
L33	5	(L28 L30 L32) and @pd> "20090504"	US-PGPUB; USPAT	OR	OFF	2010/09/12 19:22

L34	7	L26 L33	US-PGPUB; USPAT	OR	OFF	2010/09/12 19:23
S1	1	"6766376".pn.	US-PGPUB; USPAT	OR	OFF	2008/06/21 13:19
S2	2390	709/231.ccls.	US-PGPUB; USPAT	OR	OFF	2008/06/21 13:32
S3	855	time near sequenc$3 with stream$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 13:32
S4	5748	buffer with (full or exces$4 or exced$3 or overflow$3) with (delet$3 or remov$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 13:34
S5	4	S3 same S4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 13:35
S6	5	S3 and S4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 13:39
S7	34461	sequenc$3 with stream$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 13:40
S8	9	S7 same S4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 13:40
S9	2	S8 and @rlad< "20000912"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 13:41
S10	131	S4 same (old$3 or expir$6 or overdue or past)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 13:47
S11	19	S10 and S7	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 13:47

S12	3	S11 and @rlad< "20000912"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 13:47
S13	3	("6405256" "5719786" "5734119").pn.	US-PGPUB; USPAT	OR	OFF	2008/06/21 13:57
S14	2711	709/232-234.ccls.	US-PGPUB; USPAT	OR	OFF	2008/06/21 14:03
S15	336	S2 and S14	US-PGPUB; USPAT	OR	OFF	2008/06/21 14:03
S16	55	S15 and @rlad< "20000912"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:03
S17	3281	server with buffer$3 same (transmit$4 or transmission $1)	US-PGPUB; USPAT	OR	OFF	2008/06/21 14:26
S18	6	S17 same S4	US-PGPUB; USPAT	OR	OFF	2008/06/21 14:27
S19	0	S18 and @rlad< "20000912"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:27
S20	27	S17 and S4	US-PGPUB; USPAT	OR	OFF	2008/06/21 14:27
S21	6	S20 and @rlad< "20000912"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:27
S22	6	S21 and (old$3 or expir$6 or overdue or past)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:28
S23	1452	server with buffer$3 with stream$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:30
S24	16	S23 and S4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:30

S25	12	S24 and (old$3 or expir$6 or overdue or past)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:31
S26	0	S25 and @rlad<"20000912"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:31
S27	0	S24 and @rlad<"20000912"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:31
S28	1463	buffer with playback same (media or stream$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:32
S29	1817	buffer$3 with playback same (media or stream$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:33
S30	2445	buffer$3 with server same (media or stream$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:35
S31	440	S29 and S30	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:35
S32	70354	(delet$3 or remov$3) with (old$3 or expir$6 or overdue or past)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:36
S33	80	S31 and S32	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:36
S34	80	S31 and S32	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:36

S35	3052	S32 same server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:37
S36	18	S31 and S35	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:37
S37	2	S36 and @rlad< "20000912"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:37
S38	975	S32 with buffer	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:38
S39	9	S38 same S30	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:39
S40	0	S39 and @rlad< "20000912"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:39
S41	25	S38 and S30	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:39
S42	4	S41 and @rlad< "20000912"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:39
S43	34	("5526353" | "5793980" | "5822537" | "5922048" | "5923655" | "5999525" | "6002720" | "6014693" | "6014694" | "6014706" | "6029194" | "6047317" | "6057832" | "6061731" | "6061732" | "6065050" | "6085221").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/21 14:42

S44	5930	buffer with (full or exces$4 or exced$3 or overflow$3) with (delet$3 or remov$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:32
S45	35626	sequenc$3 with stream$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:32
S46	9	S45 same S44	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:32
S47	4	S46 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:32
S48	4	S46 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:51
S49	3484	server with buffer$3 same (transmit$4 or transmission $1)	US-PGPUB; USPAT	OR	OFF	2008/09/28 21:51
S50	6	S49 same S44	US-PGPUB; USPAT	OR	OFF	2008/09/28 21:51
S51	0	S50 and (@rlad< "20000912" and @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:51
S52	1	S50 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:52
S53	1926	buffer$3 with playback same (media or stream$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:57
S54	2612	buffer$3 with server same (media or stream$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:57

S55	460	S53 and S54	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:57
S56	72164	(delet$3 or remov$3) with (old$3 or expir$6 or overdue or past)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:57
S57	3219	S56 same server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:57
S58	18	S55 and S57	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:57
S59	11	S58 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:57
S60	1015	S56 with buffer	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:58
S61	10	S60 same S54	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:58
S62	0	S61 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:58
S63	27	S60 and S54	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:59
S64	7	S63 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 21:59
S65	0	S55 and (underfill$3 or overfill$3)	US-PGPUB; USPAT	OR	OFF	2008/09/28 22:08

S66	4	S53 and (underfill$3 or overfill$3)	US-PGPUB; USPAT	OR	OFF	2008/09/28 22:08
S67	2	S66 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 22:08
S68	7	S54 and (underfill$3 or overfill$3)	US-PGPUB; USPAT	OR	OFF	2008/09/28 22:09
S69	6	S68 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 22:09
S70	10	(server with stream$3) same ((transmi$6 with max $4 near rate))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 22:26
S71	3	S70 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/28 22:26
S72	15	buffer with full with (feedback or notif$6 or alert $3) same server$1	US-PGPUB; USPAT	OR	OFF	2009/05/04 10:14
S73	8	S72 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/04 10:14
S74	11	buffer$1 with (fill$3 or level or threshold or full) with (feedback or notif$6 or alert $3) same server$1 same (stop$4 or ceas$3 or resum $3 or restart$3)	US-PGPUB; USPAT	OR	OFF	2009/05/04 10:17
S75	4	S74 and (@rlad< "20000912" @ad< "20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/04 10:17
S76	46	buffer$1 with (fill$3 or level or threshold or full) with (feedback or notif$6 or alert $3) and server$1 with (stop $4 or ceas$3 or resum$3 or restart$3)	US-PGPUB; USPAT	OR	OFF	2009/05/04 10:19

S77	22	S76 and (@rlad<"20000912" @ad<"20000912")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/04 10:19
S78	1	"6766376".pn.	US-PGPUB; USPAT	OR	OFF	2009/12/01 14:04
S79	1	"6766376".pn.	US-PGPUB; USPAT	OR	OFF	2009/12/04 08:28
S80	4	source near buffer$3 with server$1 with stream$3	US-PGPUB; USPAT	OR	OFF	2009/12/04 08:49
S81	1	"6766376".pn.	US-PGPUB; USPAT	OR	OFF	2010/05/20 16:12
S82	1	"7123608".pn.	US-PGPUB; USPAT	OR	OFF	2010/05/20 17:55
S83	1	"6233226".pn.	US-PGPUB; USPAT	OR	OFF	2010/07/14 19:20

EAST Search History (Interference)

<This search history is empty>

9/12/10 7:41:22 PM
C:\ Documents and Settings\ dblair\ My Documents\ EAST\ workspaces\ 10825869.wsp